



NORTH	
<b>AUSTIN CENTER BOULEVARD &amp; ACB BREAST IMAGING</b> 6818 Austin Center Blvd., #101, Austin, TX 78731	Open Mon-Fri, 8am-5pm. Located in the Austin Surgical Plaza on the west side of MOPAC. Take the Far West exit and turn left on Austin Center Blvd., then turn right into the plaza. ARA is in the building to the left. Call the center at <b>(512) 795-8505</b> .
<b>CEDAR PARK &amp; CEDAR PARK BREAST IMAGING</b> 12800 W. Parmer Ln., #200, Cedar Park, TX 78613	Open Mon-Fri, 8am-5pm. <b>Extended hours:</b> CT 7am-11pm, mammography 7am-9pm, MRI 6:30am-11pm, ultrasound 7am-11pm. Located one block south of Hwy 1431 at the intersection of Colonial Parkway and Parmer Lane. Call the center at <b>(512) 485-7199</b> .
<b>GEORGETOWN</b> 3201 South Austin Ave., #105, Georgetown, TX 78626	Open Mon-Fri, 8am-5pm. <b>Extended hours:</b> CT 7:30am-7pm, mammography 7am-5pm, MRI 6:30am-11pm, ultrasound 7am-5pm. Located off IH 35 between Leander Rd. and the southeast inner loop. Call the center at <b>(512) 863-4648</b> .
<b>QUARRY LAKE</b> 4515 Seton Center Parkway, #105, Austin, TX 78759	Open Mon-Fri, 8am-5pm. <b>Extended hours:</b> CT 7am-10pm, fluoroscopy 8:30am-7pm, MRI 6:30am-11pm, ultrasound 7am-6pm. Located off Hwy 183 N off Braker Lane on the east side of Hwy 183. Turn onto Seton Center Parkway and take the first entrance on the left. The suite is located in the north lobby. Call the center at <b>(512) 519-3402</b> . Please use the building's intercom system to enter for after-hours or early morning appointments.
<b>ROCK CREEK PLAZA</b> 2120 North Mays, #220, Round Rock, TX 78664	Open Mon-Fri, 8am-5pm. <b>Extended hours:</b> CT 7am-5:30pm, mammography 7am-5pm, MRI 6:30am-11pm, ultrasound 7am-11pm. Located directly off N IH 35 on the access road north of Hwy 79 just past Texas Ave. Call the center at <b>(512) 238-7195</b> .
EAST	
<b>MANOR</b> 12700 Lexington St., #300, Manor, TX 78653	Open Mon-Fri, 8am-5pm. From Hwy 290, turn north on Lexington St. The center is about a quarter-mile on the left. Call the center at <b>(512) 776-1158</b> .
SOUTH	
<b>KYLE &amp; KYLE BREAST IMAGING</b> 4211 Benner Rd., #100, Kyle, TX 78640	Open Mon-Fri, 8am-5pm. <b>Extended hours:</b> CT 7:30am-7pm, MRI 6:30am-11pm, ultrasound 7:30am-5pm. Also open <b>Saturday and Sunday</b> 8am-4pm for MRI. Located on Benner Rd near the Plum Creek Golf Course. From IH 35, take exit 215 (Kyle Parkway) and go west on Kohlers Crossing for about 1.5 miles. Turn left on Benner Rd. Call the center at <b>(512) 776-1150</b> .
<b>DRIPPING SPRINGS</b> 170 Benney Lane, #101, Dripping Springs, TX 78620	Open Mon-Fri, 8am-4:30pm. Located off Hwy 290. Turn on Mighty Tiger Trail then turn right on Benney Ln. Call the center at <b>(512) 776-1176</b> .
<b>SAN MARCOS</b> 1348-B Texas 123 South, San Marcos, TX 78666	Open Mon-Fri, 8am-5pm. <b>Extended hours:</b> MRI 6:30am-11pm, CT 7am-7pm. From IH 35, take the Seguin exit and drive east for about a mile. The center is located just past Riley's Transmission. Call the center at <b>(512) 519-3431</b> .
<b>SOUTHWOOD</b> 1701 West Ben White Blvd., #170, Austin, TX 78704	Open Mon-Fri, 8am-5pm. <b>Extended hours:</b> CT 7:30am-11pm, MRI 6:30am-11pm, ultrasound 6:30am-10pm. Located on the south access road off Ben White Blvd. (Hwy 290/71) between Menchaca Rd. and South 1st St. Call the center at <b>(512) 428-9090</b> . Please use the building's intercom system to enter for after-hours or early morning appointments.
<b>WILLIAM CANNON</b> 2501 West William Cannon Dr., Bldg. 5 Austin, TX 78745	Open Mon-Fri, 8am-5pm. <b>Extended hours:</b> CT 7:30am-7pm, MRI 6:30am-11pm, ultrasound 7:30am-6pm. Located on the south side of W William Cannon Dr. between Westgate Blvd. and Menchaca Rd. in the Stonegate One complex, building 5. Call the center at <b>(512) 346-7311</b> . Please use the building's intercom system to enter for after-hours or early morning appointments.
WEST	
<b>SOUTHWEST MEDICAL VILLAGE</b> 5625 Eiger Rd., #165, Austin, TX 78735	Open Mon-Fri, 8am-5pm. <b>Extended hours:</b> CT 7:30am-7pm, MRI 8am-10:30pm. Located off Vega Ave between Southwest Parkway and W William Cannon. From Vega Ave., turn on to Eiger Rd. (which loops back to Vega). Turn into the Southwest Medical Village complex. Call the center at <b>(512) 519-3474</b> .
<b>WESTLAKE</b> 5656 Bee Caves Rd., Bldg. H, #200, Austin, TX 78746	Open Mon-Fri, 8am-5pm. <b>Extended hours:</b> MRI 8am-6:30pm, mammography 7:30am-5pm, US 7:30am-5pm. Located in the Westlake Medical Center Complex, just east of Loop 360 at Bee Caves Rd. Call the center at <b>(512) 328-4984</b> .
<b>WILSON PARKE</b> 11714 Wilson Parke Ave., #175, Austin, TX 78726	Open Mon-Fri, 8am-5pm. <b>Extended hours:</b> CT 7:30am-7pm. Located off Hwy 620 near the Trails Shopping Center next to Austin Regional Clinic. Turn west onto Wilson Parke from 620 and make the first right into the complex. Call the center at <b>(512) 519-3457</b> .
CENTRAL	
<b>MEDICAL PARK TOWER</b> 1301 West 38th Street, #118, Austin, TX 78705	Open Mon-Fri, 8am-5pm. <b>Extended hours:</b> CT 7am-7pm, MRI 6:30am-11pm, X-ray 8am-8pm. Also open <b>Saturday</b> 8am-5pm for CT, MRI and X-ray. <b>Sunday</b> 8am-5pm for MRI and X-ray. Located between W. 38th and W. 34th on the west side of the Seton Ascension Medical Center. From N. Lamar, turn west on 34th St., go past Medical Parkway and turn right into the parking lot. ARA is on the SW side of the building. Call the center at <b>(512) 454-7380</b> .
<b>MIDTOWN / THERANOSTICS CENTER / INTERVENTIONAL RADIOLOGY CENTER</b> 901 West 38th Street, #100, Austin, TX 78705	Open Mon-Fri, 8am-5pm. <b>Extended hours:</b> CT 7:30am-6pm, MRI 8am-7pm, PET/CT 7am-6pm. Located on W 38th St east of N Lamar and across the street from the Austin Heart Hospital. Parking is located beside the building when you turn off 38th St. Call the center at <b>(512) 519-3456</b> .
<b>MUELLER &amp; MUELLER CHILDREN'S IMAGING</b> 1301 Barbara Jordan Blvd., #104, Austin, TX 78723	Open Mon-Fri, 8am-5pm. <b>Extended hours:</b> Ultrasound 7am-6pm. Located on the SE corner of Lancaster and Barbara Jordan between the Ronald McDonald House and Starbucks. <b>PARKING:</b> Garage behind Strictly Pediatrics can be accessed from Barbara Jordan, between the Ronald McDonald House and Strictly Pediatrics. Call the center at <b>(512) 480-0761</b> .




Extended hours are available at many locations. Just ask our schedulers!




Know costs before you go with the out-of-pocket estimator tool at [ausrad.com](http://ausrad.com).

LOCATIONS MAP ON REVERSE 


<b>1</b>	AUSTIN CENTER BOULEVARD & ACB BREAST IMAGING	<b>9</b>	MUELLER & MUELLER CHILDREN'S IMAGING
<b>2</b>	CEDAR PARK & CEDAR PARK BREAST IMAGING	<b>10</b>	QUARRY LAKE
<b>3</b>	DRIPPING SPRINGS	<b>11</b>	ROCK CREEK PLAZA
<b>4</b>	GEORGETOWN	<b>12</b>	SAN MARCOS
<b>5</b>	KYLE & KYLE BREAST IMAGING	<b>13</b>	SOUTHWEST MEDICAL VILLAGE
<b>6</b>	MANOR	<b>14</b>	SOUTHWOOD
<b>7</b>	MEDICAL PARK TOWER	<b>15</b>	WESTLAKE
<b>8</b>	MIDTOWN / THERANOSTICS / INTERVENTIONAL	<b>16</b>	WILLIAM CANNON
		<b>17</b>	WILSON PARKE



**SCAN ME**  
FOR LOCATIONS  
AND DIRECTIONS



SEE LOCATION ADDRESSES AND PHONE NUMBERS ON REVERSE



Patient to take  Report  CD  
 Scheduler to call patient  
 Patient to call scheduling  
 ARA to fax appointment confirmation to physician

After hrs phone \_\_\_\_\_  
 Exam ICD-10 code \_\_\_\_\_  
 Additional report to \_\_\_\_\_

**PATIENT NAME** Last \_\_\_\_\_ First \_\_\_\_\_ MI \_\_\_\_\_ DOB (MM/DD/YYYY) \_\_\_\_\_

**PATIENT PREFERRED PHONE** \_\_\_\_\_ **PATIENT EMAIL** \_\_\_\_\_

**DIAGNOSIS** \_\_\_\_\_

**SPECIAL INSTRUCTIONS** \_\_\_\_\_

**REFERRING PHYSICIAN** \_\_\_\_\_ **NPI** \_\_\_\_\_ **SIGNATURE** \_\_\_\_\_ **DATE ORDERED** \_\_\_\_\_

**INSURANCE & AUTHORIZATION #** \_\_\_\_\_ **APPT DAY** \_\_\_\_\_ **APPT TIME** \_\_\_\_\_

Non STAT fax \_\_\_\_\_  
 STAT fax \_\_\_\_\_  
 STAT call phone \_\_\_\_\_

Call if STAT results are normal.  
 Fax STAT clinical notes to 512.977.8200.

Report for exams completed after 4pm will be faxed the next work day morning.

### X-RAY

WALK-INS ACCEPTED FOR X-RAY ONLY

Abdomen  1 view  2 view  
 Chest  1 view  2 view  
 Ribs  2 view  3 view  Left  Right  
 Skull  2 view  4 view  
 Sinus  1 view  2 view  3 view  
 Cervical spine  1 view  2 view  3 view  4 view  5 view  Flex / ext  
 Lumbar spine  1 view  2 view  3 view  4 view  5 view  Flex / ext  
 Thoracic spine  1 view  2 view  3 view  
 Scoliosis  1 view  2 view  
 Pelvis  Hip  Left  Right  
 Sacroiliac  Facial bones  
 Sacrum / coccyx  Mandible  
 Leg length  Orbits  
 Bone age  Nasal bones  
 Foreign body - nose to rectum  Soft tissue neck / adenoids  
 Skeletal survey - MUST BE SCHEDULED  
 Upper extremity  Left  Right  Specify \_\_\_\_\_  
 Lower extremity  Left  Right  Specify \_\_\_\_\_  
 IVP  Complete w tomosynthesis  Limited  
 Other - specify \_\_\_\_\_

### MOLECULAR IMAGING & NUCLEAR RADIOLOGY

Bone scan  w SPECT/CT (area) \_\_\_\_\_  
 Total bone  Limited (area) \_\_\_\_\_  
 3-phase for infection / osteomyelitis, loose hardware (area) \_\_\_\_\_

Brain SPECT/CT  Neuroлите  DaTScan  
 Gastric emptying scan  
 HIDA scan with GBEF (gallbladder ejection fraction)  
 I-123 MIBG w SPECT/CT  
 I-123 whole body scan  w SPECT/CT  w Thyrogen  
 Lymphoscintigraphy  w injection only  w Thyrogen  
 Liver spleen scan  
 Liver SPECT/CT (RBC tag) for hemangioma  
 Heat damaged RBC w SPECT/CT  
 Meckel's scan w SPECT/CT  
 MUGA scan for LVEF (resting only)  
 Parathyroid scan w SPECT/CT  w ultrasound  
 Renal scan w diff function  w Lasix  Cortical imaging  
 Salivary glands  
 Thyroid scan w uptake  Thyroid scan only  
 Radioiodine treatment for hyperthyroidism  
 Radioiodine treatment for cancer  w Thyrogen  
 Radioiodine I-131 post treatment scan: 5-10 days post TX  
 White blood cell (WBC) scan for infection w SPECT/CT (w marrow mapping if needed)  
 Other \_\_\_\_\_

### CT

**CT NEURO** Specify IV contrast  without  with  PRN

**HEAD**  
 Brain  Facial bones  Orbits  Craniofacial  
 Temporal bones  
 Sinus  Limited  Complete  
 Surgical navigation - specify \_\_\_\_\_  
 Soft tissue neck

**SPINE**  
 Cervical  Lumbar  Thoracic  
 Other - specify \_\_\_\_\_

**CTA NEURO - CONTRAST REQUIRED**  
 Intracranial (head)  Carotid (neck)  
 CT-venogram--intracranial (head)  
 Other - specify \_\_\_\_\_

**CT BODY** Specify IV contrast  without  with  PRN  
 Chest  Routine  Interstitial lung disease (w/o contrast)  
 Surgical navigation - specify \_\_\_\_\_

Abdomen only  
 Abdomen (w pelvis if needed)  Pelvis only  
 Abdomen & pelvis  Enterography / small bowel w 3D  
 Renal calculi (w/o contrast)  
 Urogram (CT-IVP / hematuria protocol)  
 Virtual colonoscopy  Screening (asymptomatic)  
 Diagnostic (symptomatic)  
 Other \_\_\_\_\_

**CTA BODY - CONTRAST REQUIRED**  
 Chest  Pulmonary embolism  
 Heart  Coronary arteries  
 Pulmonary vein  
 Abdomen  
 Abdomen/pelvis  Aortic pre-stent  
 Aortic post-stent  
 Perforator protocol  
 w run-off  
 Pelvis  
 Venogram  Abdomen / pelvis  
 Pelvis

**CT EXTREMITY** Specify IV contrast  without  with  PRN  
 Specify \_\_\_\_\_

• CT lung screening form available at [ausrad.com/downloads](http://ausrad.com/downloads).  
 • If CT & PET are needed, providers can call scheduling at 512.458.9098.  
 • Contrast and additional views at discretion of radiologist.

### BONE DENSITOMETRY

Bone densitometry

### MRI

Contrast at discretion of radiologist  
 Do not administer IV contrast

**HEAD**  
 Brain  IACs  Orbits  
 Pituitary  Skull base / face  TMJ  
 Soft tissue neck

**SPINE**  
 Cervical  Brachial plexus  Left  Right  
 Thoracic  Sacral plexus  Lumbar

**CHEST**  
 Soft tissue  Chest wall

**ABDOMEN**  
 Routine  
 w MRCP & 3D - must list secondary diagnosis \_\_\_\_\_  
 w Elastography  
 Urogram (includes pelvis)  Enterography (includes pelvis)

**PELVIS**  
 Defecography  Prostate (include PSA)  Soft tissue  
 MSK pelvis  MSK SI joint

**EXTREMITY** SELECT LATERALITY  LEFT  RIGHT  
 Arthrogram - specify joint: \_\_\_\_\_  
 Long bone - specify  Humerus  Forearm  Femur  Tib / fib  
 Shoulder  Pectorals  Elbow  Wrist  
 Hand  Finger \_\_\_\_\_  
 Hip  Knee  Ankle  
 Foot  Toe \_\_\_\_\_

**MRA**  MRV  
 Head  Neck  Chest  Abdomen  Pelvis  
 Run-off (bifurcation to ankle)  
 Upper extremity - specify \_\_\_\_\_  
 Lower extremity - specify \_\_\_\_\_

### BREAST IMAGING

**SCREENING**  
 Screening 3D mammogram w US if inconclusive  
 Screening 3D mammogram  
 Radiologist approval required for screening mammo in patients under 30.  
 Screening breast ultrasound (dense breasts / asymptomatic)

**DIAGNOSTIC**  
 Complete diagnostic mammography workup w 3D (May include US, biopsy and / or cyst aspiration if needed)  
 Diagnostic 3D mammo w US if needed  Female 30+  Male 25+  
 Diagnostic ultrasound w 3D mammo if needed  Female <30  Male <25 (Indicate area of concern.)  
 Ultrasound axilla w 3D mammo if needed

**BREAST MRI**  
 Diagnostic w/o contrast (Indicate area of concern.)  
 Abbreviated screening  
 Implant evaluation w/o contrast (silicone only)

**BIOPSY**  
 Stereotactic  Stereotactic w 3D  Ultrasound  
 Radiologist to determine method  Post-biopsy mammogram  
 Other \_\_\_\_\_

For diagnostic only:  
 Note area of concern.

**CTA BODY - CONTRAST REQUIRED**  
 Chest  Pulmonary embolism  
 Heart  Coronary arteries  
 Pulmonary vein  
 Abdomen  
 Abdomen/pelvis  Aortic pre-stent  
 Aortic post-stent  
 Perforator protocol  
 w run-off  
 Pelvis  
 Venogram  Abdomen / pelvis  
 Pelvis

**CT EXTREMITY** Specify IV contrast  without  with  PRN  
 Specify \_\_\_\_\_

• CT lung screening form available at [ausrad.com/downloads](http://ausrad.com/downloads).  
 • If CT & PET are needed, providers can call scheduling at 512.458.9098.  
 • Contrast and additional views at discretion of radiologist.

### PET/CT

SEPARATE FORM REQUIRED. CALL 512.453.6100 TO SCHEDULE.

### ULTRASOUND

**ABDOMEN**  
 Abdominal organs - complete  
 Abdominal organs - limited to \_\_\_\_\_  
 Liver elastography  Renal  Aorta

**PELVIC**  
 Pelvic transabdominal & transvaginal  Testicular (includes Doppler)  
 Pelvic (transvaginal only)  Groin  
 Pelvic (transabdominal only)  Bladder  w PVR

**OBSTETRICAL (<14 weeks only)**  
 OB transabdominal & transvaginal  OB transvaginal only  
 OB transabdominal only

**NECK**  
 Thyroid  Neck - soft tissues only

**VASCULAR ULTRASOUND**  
 Carotid Doppler  ABI only (limited NIPS)  
 Arterial duplex (complete NIPS)  Arms  Legs  
 Venous Doppler legs  Left  Right  
 Venous Doppler arms  Left  Right

For MRI and CT contrast studies, creatinine testing will be performed for patients meeting contrast screening guidelines.

### OTHER / INTERVENTIONAL

IVP with ultrasound as needed  Uterine fibroid treatment consult  
 Prostate artery embolization treatment consult  
 Other \_\_\_\_\_

### ARTHROGRAM w CT TO FOLLOW

Arthrogram w CT to follow - specify joint: \_\_\_\_\_

### FLUOROSCOPY

Hysterosalpingogram (HSG)  
 Lumbar puncture  w pressures  w/o pressures  
 w lab work  w/o lab work  
 PLEASE ATTACH LAB ORDERS

Steroid injection  Kenalog 40mg/ml  Depo-Medrol 80 mg/ml  
 Specify joint \_\_\_\_\_  
 Joint aspiration - specify joint \_\_\_\_\_  
 PLEASE ATTACH LAB ORDERS  
 Other \_\_\_\_\_

### MYELOGRAM w CT TO FOLLOW

Cervical  Lumbar  Cisternography  
 Thoracic  Entire spine  Other \_\_\_\_\_

## IVP\*

1. The day before your exam, drink six (6) to eight (8) 8-ounce glasses of clear liquid between lunch and dinner.
2. The evening before your exam, eat a light supper. Limit the meal to items such as a small sandwich, Jell-O or soup. Do not eat or drink any dairy products.
3. Between 5:00 p.m. and 9:00 p.m., take two (2) Dulcolax or Bisacodyl USP tablets.  
NOTE: DO NOT TAKE DULCOLAX OR BISACODYL TABLETS WITHIN ONE HOUR OF DRINKING MILK OR ANTACID.
4. After midnight, DO NOT have anything else to eat until after your examination. You may drink clear liquids prior to your exam.

## PELVIC/OB ULTRASOUND\*

1. One hour before your exam starts, finish drinking 32 ounces of water. BLADDER MUST BE FULL FOR EXAM.
2. DO NOT empty bladder until after your examination.

## ABDOMINAL ULTRASOUND

1. Morning exams: After midnight, do not have anything to eat or drink until after your exam.
2. Afternoon exams: LOW FAT BREAKFAST before 8:00 a.m. (no milk, butter, cream, cheese, peanut butter), then nothing else to eat or drink before the exam.

## RENAL ULTRASOUND\*

1. Thirty (30) minutes before your exam starts, finish drinking 24 ounces of water.
2. DO NOT empty bladder until after your examination.
3. DO NOT eat or drink anything six (6) hours prior to your exam.

## MAMMOGRAM

1. Before your exam, clean the breasts thoroughly.
2. DO NOT wear deodorants or powders. Rubbing alcohol can be used as an antiperspirant.
3. It is recommended that you wear a two-piece outfit.

## CT

1. You will be given preparation instructions, if any, when you schedule. They can also be sent to you by email.

\*Patients on fluid restriction should consult their physicians for instructions.