

NORTH	HOURS, DIRECTIONS & PHONE
AUSTIN CENTER BOULEVARD & ACB BREAST IMAGING 6818 Austin Center Blvd #101, Austin, TX 78731	Open Mon-Fri 8am-5pm. Located in the Austin Surgical Plaza on the west side of MOPAC. Take the Far West exit and turn left on Austin Center Blvd, then turn right into the plaza. ARA is in the building to the left. Call the center at (512) 795-8505 .
CEDAR PARK & CEDAR PARK BREAST IMAGING 12800 W Parmer Ln #200, Cedar Park, TX 78613	Open Mon-Fri 8am-5pm. Located one block south of Hwy 1431 at the intersection of Colonial Parkway and Parmer Ln. Call the center at (512) 485-7199 .
GEORGETOWN 3201 South Austin Ave #105, Georgetown, TX 78626	Open Mon-Fri 8am-5pm. Located off IH 35 between Leander Rd and the southeast inner loop. Call the center at (512) 863-4648 .
QUARRY LAKE 4515 Seton Center Parkway #105, Austin, TX 78759	Open Mon-Fri 8am-5pm. Located off Hwy 183 N off Braker Ln on the east side of Hwy 183. Turn onto Seton Center Parkway and take the first entrance on the left. The suite is located in the north lobby. Call the center at (512) 519-3402 . Please use the building's intercom system to enter for after-hours or early morning appointments.
ROCK CREEK PLAZA 2120 North Mays St #220, Round Rock, TX 78664	Open Mon-Fri 8am-5:30pm. Located off N IH 35 on the access road north of Hwy 79 just past Texas Ave. Call the center at (512) 238-7195 .
EAST	
MANOR 12700 Lexington St #300, Manor, TX 78653	Open Mon-Fri 8am-5pm. From Hwy 290, turn north on Lexington St. The center is about a quarter-mile down on the left. Call the center at (512) 776-1158 .
SOUTH	
KYLE & KYLE BREAST IMAGING 4211 Benner Rd #100, Kyle, TX 78640	Open Mon-Fri 8am-5pm. Located on Benner Rd near the Plum Creek Golf Course. From IH 35, take exit 215 (Kyle Parkway) and go west on Kohlers Crossing for about 1.5 miles. Turn left on Benner Rd. Call the center at (512) 776-1150 .
DRIPPING SPRINGS 170 Benney Ln #101, Dripping Springs, TX 78620	Open Mon-Fri 8am-4:30pm. Located off Hwy 290. Turn on Mighty Tiger Trail then turn right on Benney Ln. Call the center at (512) 776-1176 .
SAN MARCOS 1348-B Texas 123 South, San Marcos, TX 78666	Open Mon-Fri 8am-5pm. From IH 35, take the Seguin exit and drive east for about a mile. The center is located just past Riley's Transmission. Call the center at (512) 519-3431 .
SOUTHWOOD 1701 W Ben White Blvd #170, Austin, TX 78704	Open Mon-Fri 8am-5pm. Located on the south access road off Ben White Blvd (Hwy 290/71) between Menchaca Rd and South 1st St. Call the center at (512) 428-9090 . Please use the building's intercom system to enter for after-hours or early morning appointments.
WILLIAM CANNON 2501 W William Cannon Dr, Bldg. 5 Austin, TX 78745	Open Mon-Fri 8am-5pm. Located on the south side of W William Cannon Dr between Westgate Blvd and Menchaca Rd in the Stonegate One complex, building 5. Call the center at (512) 346-7311 . Please use the building's intercom system to enter for after-hours or early morning appointments.
WEST	
VILLAGE 5625 Eiger Rd #165, Austin, TX 78735	Open Mon-Fri 8am-5pm. Located off Vega Ave between Southwest Parkway and W William Cannon. From Vega Ave, turn on to Eiger Rd (which loops back to Vega). Turn into the Southwest Medical Village complex. Call the center at (512) 519-3474 .
WESTLAKE 5656 Bee Caves Rd, Bldg. H, #200, Austin, TX 78746	Open Mon-Fri 8am-5pm. Located in the Westlake Medical Center Complex, just east of Loop 360 at Bee Caves Rd. Call the center at (512) 328-4984 .
WILSON PARKE 11714 Wilson Parke Ave #175, Austin, TX 78726	Open Mon-Fri 8am-5pm. Located off Hwy 620 near the Trails Shopping Center next to Austin Regional Clinic. Turn west onto Wilson Parke Ave from 620 and make the first right into the complex. Call the center at (512) 519-3457 .
CENTRAL	
MEDICAL PARK TOWER 1301 W 38th St #118, Austin, TX 78705	Open Mon-Fri 8am-5pm. Located between W 38th and W 34th on the west side of the Seton Ascension Medical Center. From N Lamar, turn west on 34th St, go past Medical Parkway and turn right into the parking lot. ARA is on the SW side of the building. Call the center at (512) 454-7380 .
MIDTOWN / THERANOSTICS CENTER / INTERVENTIONAL RADIOLOGY CENTER 901 W 38th St #100, Austin, TX 78705	Open Mon-Fri 8am-5pm. Located on W 38th St east of N Lamar and across the street from the Austin Heart Hospital. Parking is located beside the building when you turn off 38th St. Call the center at (512) 519-3456 .
MUELLER & MUELLER CHILDREN'S IMAGING 1301 Barbara Jordan Blvd #104, Austin, TX 78723	Open Mon-Fri 8am-5pm. Located on the SE corner of Lancaster Dr and Barbara Jordan Blvd between the Ronald McDonald House and Starbucks. The parking garage behind Strictly Pediatrics can be accessed from Barbara Jordan Blvd, between the Ronald McDonald House and Strictly Pediatrics. Call the center at (512) 480-0761 .

MANAGE YOUR RADIOLOGY CARE THROUGH THE ARA PATIENT PORTAL



SCHEDULE YOUR EXAM

- Patients can schedule many exams online, including most X-ray, bone densitometry, CT, MRI, mammography, and ultrasound exams. Go to ausrad.com/scheduling.
- Call us at (512) 453-6100 to schedule fluoroscopy, interventional radiology, PET, or nuclear/molecular radiology exams, or any exam not listed on the scheduling portal.



PAY YOUR BILL or make payment arrangements.



REQUEST MEDICAL RECORDS of your ARA exams.



SEE EXAM REPORTS & IMAGES for ARA exams back to 2020.



CREATE A PROFILE to manage your patient information.




Extended hours are available at some locations. Ask your scheduler for details.




Know costs before you go with the out-of-pocket estimator tool at ausrad.com.

LOCATIONS MAP ON REVERSE 


1	AUSTIN CENTER BOULEVARD & ACB BREAST IMAGING	9	MUELLER & MUELLER CHILDREN'S IMAGING
2	CEDAR PARK & CEDAR PARK BREAST IMAGING	10	QUARRY LAKE
3	DRIPPING SPRINGS	11	ROCK CREEK PLAZA
4	GEORGETOWN	12	SAN MARCOS
5	KYLE & KYLE BREAST IMAGING	13	SOUTHWOOD
6	MANOR	14	VILLAGE
7	MEDICAL PARK TOWER	15	WESTLAKE
8	MIDTOWN / THERANOSTICS / INTERVENTIONAL RADIOLOGY	16	WILLIAM CANNON
		17	WILSON PARKE



SCAN ME
FOR LOCATIONS
AND DIRECTIONS



SEE LOCATION ADDRESSES AND PHONE NUMBERS ON REVERSE



PATIENT NAME Last First MI DOB (MM/DD/YYYY)

PATIENT PREFERRED PHONE PATIENT EMAIL

DIAGNOSIS ICD 10 CODE(S)

SPECIAL INSTRUCTIONS

REFERRING PHYSICIAN NPI SIGNATURE DATE ORDERED

INSURANCE & AUTHORIZATION # APPT DAY APPT TIME

X-RAY

WALK-INS ACCEPTED FOR X-RAY ONLY

- Abdomen 1 view 2 view
- Chest 1 view 2 view
- Ribs 2 view 3 view Left Right
- Skull 2 view 4 view
- Sinus 1 view 2 view 3 view
- Cervical spine 1 view 2 view 3 view 4 view 5 view Flex/ ext
- Lumbar spine 1 view 2 view 3 view 4 view 5 view Flex/ ext
- Thoracic spine 1 view 2 view 3 view
- Scoliosis 1 view 2 view
- Pelvis Hip Left Right
- Sacroiliac Facial bones
- Sacrum/ coccyx Mandible
- Leg length Orbits
- Bone age Nasal bones
- Foreign body - nose to rectum Soft tissue neck/ adenoids
- Skeletal survey - MUST BE SCHEDULED
- Upper extremity Left Right Specify _____
- Lower extremity Left Right Specify _____
- IVP Complete w tomosynthesis Limited
- Other - specify _____

BONE DENSITOMETRY

Bone densitometry Hip/ spine Wrist/ radius

MRI

- Contrast at discretion of radiologist
- Do not administer IV contrast
- HEAD**
- Brain IACs Orbits
- Pituitary Skull base/ face TMJ
- Soft tissue neck
- SPINE**
- Cervical Brachial plexus Left Right
- Thoracic Sacral plexus Lumbar
- CHEST**
- Chest
- ABDOMEN**
- Routine
- w MRCP & 3D - must list secondary diagnosis _____
- w Elastography
- Urogram (includes pelvis) Enterography (includes pelvis)
- PELVIS**
- Routine MSK pelvis Prostate (include PSA)
- Rectum Defecography
- EXTREMITY** **SELECT LATERALITY** LEFT RIGHT
- Arthrogram - specify joint: _____
- Long bone - specify Humerus Forearm Femur Tib/ fib
- Shoulder Pectorals Elbow Wrist
- Hand Finger _____
- Hip Knee Ankle
- Foot Toe _____
- MRA** MRV
- Head Neck Chest Abdomen Pelvis
- Run-off (bifurcation to ankle)
- Upper extremity - specify _____
- Lower extremity - specify _____

For MRI and CT contrast studies, creatinine testing will be performed for patients meeting contrast screening guidelines.

OTHER / INTERVENTIONAL

- IVP with ultrasound as needed Uterine fibroid treatment consult
- Prostate artery embolization treatment consult
- Other _____

ARTHROGRAM w CT TO FOLLOW

- Arthrogram w CT to follow - specify joint _____

MOLECULAR IMAGING & NUCLEAR RADIOLOGY

- Bone scan w SPECT/CT (area) _____
- Total bone Limited (area) _____
- 3-phase for infection/ osteomyelitis, loose hardware (area) _____
- Brain SPECT/CT Neuroлите DaTScan
- Gastric emptying scan
- HIDA scan with GBEF (gallbladder ejection fraction)
- I-123 MIBG w SPECT/CT
- I-123 whole body scan w SPECT/CT w Thyrogen
- Lymphoscintigraphy w SPECT/CT Injection only
- Liver spleen scan
- Liver SPECT/CT (RBC tag) for hemangioma
- Heat damaged RBC w SPECT/CT
- Meckel's scan w SPECT/CT
- MUGA scan for LVEF (resting only)
- Parathyroid scan w SPECT/CT w ultrasound
- Renal scan w diff function w Lasix Cortical imaging
- Salivary glands
- Thyroid scan w uptake Thyroid scan only
- Radioiodine treatment for hyperthyroidism
- Radioiodine treatment for cancer w Thyrogen
- Radioiodine I-131 post treatment scan: 5-10 days post TX
- White blood cell (WBC) scan for infection w SPECT/CT (w marrow mapping if needed)
- Other _____

BREAST IMAGING

SCREENING

- Screening 3D mammogram w US or 3D diagnostic mammo if inconclusive
- Screening 3D mammogram
- Radiologist approval required for screening mammo in patients under 30.**
- Screening breast ultrasound (dense breasts/ asymptomatic)

DIAGNOSTIC

- Complete diagnostic mammography workup w 3D (May include US, biopsy and / or cyst aspiration if needed)
- Diagnostic 3D mammo w US if needed Female 30+ Male 25+
- Diagnostic ultrasound w 3D mammo if needed Female <30 Male <25 (Indicate area of concern.)
- Ultrasound axilla w 3D mammo if needed

BREAST MRI

- Diagnostic w/w/o contrast (Indicate area of concern.)
- Abbreviated screening
- Implant evaluation w/o contrast (silicone only)

BIOPSY (w post-biopsy mammogram if needed)

- Stereotactic Stereotactic w 3D Ultrasound MRI
- Radiologist to determine method
- Other _____

NOTE AREA OF CONCERN REQUIRED FOR DIAGNOSTIC EXAMS

FLUOROSCOPY

- Hysterosalpingogram (HSG)
- Lumbar puncture w pressures w/o pressures
- w lab work w/o lab work
- PLEASE ATTACH LAB ORDERS**
- Steroid injection Kenalog 40mg/ml Depo-Medrol 80 mg/ml
- Specify joint _____
- Joint aspiration - specify joint _____
- PLEASE ATTACH LAB ORDERS**
- Other _____

MYELOGRAM w CT TO FOLLOW

- Cervical Lumbar
- Thoracic Entire spine Other _____

SCHEDULING INFORMATION

Scheduler to call patient Patient to schedule

After hrs phone _____

Additional report to _____

Routine STAT STAT contact cell _____

- Fax STAT clinical notes to 512.977.8200.
- ARA will call reports only for critical or significant, unexpected findings as determined by our radiologists.
- Non-STAT reports for exams completed after 4pm will be sent the next workday morning.

CT

- CT NEURO** Specify IV contrast without with PRN
- HEAD**
- Brain Facial bones Orbits Craniofacial
 - Temporal bones
 - Sinus Complete Surgical navigation - specify _____
 - Soft tissue neck
- SPINE**
- Cervical Lumbar Thoracic
 - Other - specify _____
- CTA NEURO - CONTRAST REQUIRED**
- Intracranial (head) Carotid (neck)
 - CT-venogram--intracranial (head)
 - Other - specify _____
- CT BODY** Specify IV contrast without with PRN
- Routine Interstitial lung disease (w/o contrast) Airway
 - Surgical navigation - specify _____
 - Abdomen only
 - Abdomen (w pelvis if needed) Pelvis only
 - Abdomen & pelvis Enterography / small bowel w 3D Renal calculi (w/o contrast) Urogram (CT-IVP/ hematuria protocol) Screening (asymptomatic) Diagnostic (symptomatic)
 - Virtual colonoscopy Screening (asymptomatic) Diagnostic (symptomatic)
 - Cardiac CT calcium scoring (screening, no contrast required)
 - Note any symptoms _____
 - Other _____
- CT EXTREMITY** Specify IV contrast without with PRN
- Specify _____ Left Right
 - Surgical navigation - specify _____
- CTA BODY - CONTRAST REQUIRED**
- Chest Pulmonary embolism
 - Abdomen
 - Abdomen/pelvis Aortic pre-stent Aortic post-stent Perforator protocol w runoff
 - Pelvis
 - Venogram Abdomen / pelvis Pelvis
 - Other _____
- CT lung screening form available at ausrad.com/downloads.
- If CT & PET are needed, providers can call scheduling at 512.458.9098.
- Contrast and additional views at discretion of radiologist.

PET/CT

SEPARATE FORM REQUIRED. CALL 512.453.6100 TO SCHEDULE.

ULTRASOUND

- ABDOMEN**
- Abdominal organs - complete
 - Abdominal organs - limited to _____
 - Liver elastography Renal Aorta
- PELVIS**
- Pelvic transabdominal & transvaginal Testicular (includes Doppler)
 - Pelvic (transvaginal only) Groin
 - Pelvic (transabdominal only) Bladder w PVR
- OBSTETRICAL (<14 weeks only)**
- OB transabdominal & transvaginal OB transvaginal only
 - OB transabdominal only
- NECK**
- Thyroid Neck - soft tissues only
- VASCULAR ULTRASOUND**
- Carotid Doppler ABI only (limited NIPS)
 - Arterial duplex (complete NIPS) Arms Legs
 - Venous Doppler legs Left Right
 - Venous Doppler arms Left Right

IVP*

1. The day before your exam, drink six (6) to eight (8) 8-ounce glasses of clear liquid between lunch and dinner.
2. The evening before your exam, eat a light dinner. Limit the meal to items such as a small sandwich, Jell-O or soup. Do not eat or drink any dairy products.
3. Between 5:00 p.m. and 9:00 p.m., take two (2) Dulcolax or Bisacodyl USP tablets.
NOTE: DO NOT TAKE DULCOLAX OR BISACODYL TABLETS WITHIN ONE HOUR OF DRINKING MILK OR TAKING ANTACID.
4. After midnight, DO NOT have anything else to eat until after your exam. You may drink clear liquids before your exam.

PELVIC/OB ULTRASOUND*

1. One hour before your exam starts, finish drinking 32 ounces of water. BLADDER MUST BE FULL FOR EXAM.
2. DO NOT empty bladder until after your exam.

ABDOMINAL ULTRASOUND

1. Morning exams: After midnight, do not have anything to eat or drink until after your exam.
2. Afternoon exams: Eat a LOW-FAT BREAKFAST before 8:00 a.m. (no milk, butter, cream, cheese, peanut butter), then nothing else to eat or drink before the exam.

RENAL ULTRASOUND*

1. Thirty (30) minutes before your exam, finish drinking 24 ounces of water.
2. DO NOT empty bladder until after your exam.

MAMMOGRAM

1. Before your exam, clean the breasts thoroughly.
2. DO NOT use deodorants or powders in the underarms or areas around the breasts. Rubbing alcohol can be used as an antiperspirant.
3. It is recommended that you wear a two-piece outfit.

CT

You will be given preparation instructions, if any, when you schedule. They can also be sent to you by email.

*Patients on fluid restrictions should consult their physicians for instructions.